


900X1800mm



COLLECTION 2020




Fab Slab



Fab Slab is a flourishing centre for Italian design and slabs. Fab Slab is a new conglomerate that offers a rich array of products and services in terms of design and manufacturing of slabs. Fab Slab represents unparalleled technical, artistic and organizational standards that distinguish it from its peers.

Fab Slab is the essence of years of rigorous research. In its core efforts, Fab Slab epitomizes the urge to establish new standards and norms in the industry. Over decades of experience has gone into the making of this ambitious venture that us set to revoutionize art and craft of manufacturing slabs. Based on ground-breaking research, Fab Slab has conceptualized its ravishing designs and world-class manufacturing process.






WHAT IS Fab Slab?

**STRENGTH PLUS
VERY LARGE SIZES AND
HIGH THICKNESS.**

An innovative and Italian quality porcelain slabs, ideal for kitchen countertops, bathroom countertops, furniture, flooring and wall applications. The perfect combination of quality and wide collections of texture surface like marble, stone, wood, metal & concrete.



Specific answers to any need.
5 sizes, 4 thickness options

APPLICATION



AIRPORT



RESTAURANT



FITTED KITCHEN AND
BATHROOM FURNITURE



HOTELS



RETAIL MALLS



SPA AND WELLNESS
CENTRES



OFFICES



SHOPS



MUSEUMS



VENTILATED CURTAIN
WALLS



HOMES



INTERIOR DESIGN
AND FURNISHINGS

NEW PRODUCTION TECHNOLOGIES BRING UP THE CHALLENGE OF CREATING MATERIALS CAPABLE OF SHAPING THE SPACE TECHNICALLY AND ESTHETICLY IN AN EFFICIENT WAY.

Fab Slab, a brand born to provide advanced solutions to architecture and interior design. Materials that offer unlimited versatility in all fields of construction, furniture, design, etc.

FEATURES



HIGHLY UV
RESISTANT



RESISTANT TO
SCRATCHES



WATERPROOF



RESISTANCE TO
CHEMICAL ATTACK



LIGHTNESS



LIGHTNESS



FROST
RESISTANCE



RESISTANT TO
STAINS



RECYCLABLE













EASY TO CLEAN



FIREPROOF

POSSIBILITIES





FINISH



GLOSSY

ACRON BROWN

RANDOM

3

ACRON CREMA

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ACRON GREY

RANDOM

3

ACRON WHITE

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



CLASSIC WHITE

RANDOM

WAVEY BLACK

RANDOM

5

4



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ICEY BROWN

RANDOM

7



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ICEY GREY

RANDOM

7



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



CRYSTAL WHITE ONICO

RANDOM

4

CRYSTAL GREY ONICO

RANDOM

4



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ARMANO CLOUD

RANDOM

2

ARMANO IRON

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ARMANO BEIGE

RANDOM

2

BAHAMAS CHOCO

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



BAHAMAS FOREVER

RANDOM

2



BAHAMAS WINE C1

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY


EFFECT

MARBLE

BELVEDRE PELLE

RANDOM

2



**BIANCO STATUARIO
VENATO**

RANDOM

4



THICKNESS
6MM, 9 MM

SIZE
900X1800MM



FINISH
GLOSSY

EFFECT
MARBLE

BLACK BEAUTY

RANDOM

2



**BOTTOCHINO CLASSICO
BEIGE**

RANDOM

5



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

BOTTOCINO FIORTO

RANDOM

3



BRECCIA AURORA

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



BRESSIA ONICIATA

RANDOM


2



COSMOS

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

CREMA MARFIL

RANDOM

3



DYNA CLASSIC

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



DYNA NATURAL


RANDOM

5

EMPERADOR MARRON

RANDOM

4



THICKNESS

6MM, 9 MM

SIZE



900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ESTRADA


RANDOM

FRENCH BONE

RANDOM

4

4



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



FRENCH PORCELAIN

RANDOM

4

FRENCH SILVER

RANDOM

4



THICKNESS

6MM, 9 MM

SIZE


900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



FRENCH STEEL

RANDOM

4

GREY WILLIAM

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ICE ONYX

RANDOM

2

IVORY ONYX

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT


MARBLE



LOURENT GOLD

RANDOM

2



MARFIL BEIGE

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

MARQUINA BEIGE

RANDOM

3



MARQUINA_BLACK

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



MARQUINA GREY

RANDOM

3



ORLENT BEIGE

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

ORLENT BROWN

RANDOM

OROBICO GREY

RANDOM

2

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

PIETRA GREY LUCIDATO


RANDOM

4

ROSE BLACK

RANDOM

4



THICKNESS

6MM, 9 MM

SIZE


900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



ROSSO CREMA

RANDOM

3



ROSSO NATURAL

RANDOM

3



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



SARAN COLINS

RANDOM

3



SATUARIO FANTASTICO

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY


EFFECT

MARBLE

SATUARIO PEARL

RANDOM




3



SILK SATUARIO

RANDOM

4



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

STATUARIO NERO

RANDOM

2



STATUARIO SUPER

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY


EFFECT

MARBLE

STATUARIO LUCIDATO

RANDOM

6



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE





THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



STONE BROWN

RANDOM

3



TARVENTINET

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

CALACATTA ELITE

RANDOM

8



THICKNESS

6MM, 9 MM

SIZE

900X1800MM



FINISH

GLOSSY

EFFECT

MARBLE





THICKNESS

6MM, 9 MM

SIZE


900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



TITAN CHOCO

RANDOM

3



WHITE ONYX

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY


EFFECT

MARBLE

WHITE GOLD

RANDOM

2



THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE




BOOK MATCH



ARMANO GREY BOOK MATCH

RANDOM

2



A



B

THICKNESS

6MM, 9 MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



A



B

THICKNESS

6MM, 9 MM

SIZE


900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



A



B

THICKNESS

6MM, 9 MM

SIZE


900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE



A



B

THICKNESS

6MM, 9MM

SIZE

900X1800MM

FINISH

GLOSSY

EFFECT

MARBLE

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	--	--------	-------------

REGULATORY PROPERTIES

Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 ⁻⁶	Max 6.5x10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES


Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES




Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAIL




SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
900x1800 MM	9 MM	2	34.75	66
900x1800 MM	6 MM	2	34.75	43



✓ RIGHT



✗ WRONG



STORAGE


We should use a forklift truck, at least 2,5 mts. long, with the forks positioned in the largest width position, in order to handle the pallet on a proper way. Under normal conditions, the forks are positioned in the middle of the long side of the pallet, as they must hold the whole depth of the pallet. To allow the extraction of the slabs in a safe and easy way, it is recommended to position the pallets in a suitable area where the lift truck can be moved around all sides of the pallet.

HANDLING SLAB

IBIS's Extra large format slabs arrive in oversized crates, which require specific handling equipment. To prevent damage from occurring during forklift operation, specific fork sizes must be used. For example, to handle a crate of 135cm x 305cm tiles from the side, 112cm/ 44" long forks are recommended.

To handle the same crate from the narrow end requires forks that are at least 213cm/ 84" long. Lifting multiple crates with longer forks may require forklifts with a greater lift capacity.

Specialised tools and equipment are currently available for the handling and installation of large porcelain surfaces. Innovative trowels with unique notch configurations can help increase the consistency of the mortar coverage on the back of the tile.




HANDLING EQUIPMENT

Handling device to free move 150X150 Slabs (use 2 for 305cm Slab)



Double Suction Cup 115 MM




Modular Bench BM 180



LEVELLING EQUIPMENT

RLS Clips for Tiles 10-12 MM thick (½" - ¾") - 400 pcs bag



Wedges in 1000 pcs / carton



Adjustable pliers for wall and floor covering



CUTTING EQUIPMENT

Free cut guide with complete outfit Max. cut of length-156 CM



Free cut extension length - 170 CM




Cutting of pillars for tiles/slabs Thickness 6-12 MM



MECHANICAL FIXING EQUIPMENT

Fix Stainless Steel Hook for 8 MM thickness tiles - 500 pcs



Cut Grooving Machine 850w-230v 50/60hz

